

Quality of the Soil, Timber, &c. on the Township Lines.		East Boundary.	
		Sec. 36	Mostly wet prairie - a few Oaks on N. E.
		" 25	Rolling & 2 nd rate - W. & Y. Oaks - U.S. same.
		" 24	Level & 2 nd rate. Timber &c. same.
		" 13	Same
		" 12	Marshy & 2 nd rate. Oak.
		" 1	Level 2 nd rate - W. & Y. Oak.
		South Boundary.	
		Sec. 36	Rolling & good - Oak.
		" 35	Mostly dry prairie - 1 st rate - a few Oaks on E. E.
		" 34	Rolling 1 st rate prairie.
		" 33	Same
		" 32	Same
		" 31	Same
Description of the Land, Timber, &c. on the Interior Sectional Lines.		35, 36,	Level wet barrens - W. & Y. Oak.
		25, 36,	Same
		25, 26,	Part dry barrens & part flag & bullrush swamp - W. & Y. Oak &c.
		24, 25,	Level 2 nd rate - W. & Y. Oak &c.
		23, 24,	Level 3 rd rate - part dry & part wet barrens - W. & Y. Oak.
		13, 24,	E. & 3 rd rate - W. & Y. Oak & Hickory - W. & wet barrens & no timber
		13, 14,	Nearly all marsh
		12, 13,	Level flag & bullrush swamp covered with water.
		11, 12,	Level wet prairie - W. & Y. Oak &c.
		1, 12,	Same
		1, 2,	Mostly swamp - scarce of timber.
		34, 35,	Level wet barrens - W. & Y. Oak.
		26, 35,	Same
		26, 27,	Same
		23, 26,	Same
		22, 23,	Principally flag & bullrush swamp - Aspen, W. & Y. Oak &c.
		14, 23,	Level wet prairie - flag & bullrush swamp
		14, 15,	All flag & bullrush swamp
		11, 14,	Marshy - No timber scarcely.
		10, 11,	Part wet & part dry barrens - no timber scarcely.
		2, 11,	Dry barrens timber scarce - W. & Y. Oak.
		2, 3,	Same
		33, 34,	Part timbered - part prairie.
		27, 34,	Generally dry barrens - a few groves of W. & Y. Oak, Hickory &c.
		27, 28,	Level wet prairie
		22, 27,	Mostly same - small groves of W. & Y. Oak.
		21, 22,	Mostly flag & bullrush swamp.
		15, 22,	All marsh & swamp.
		15, 16,	2 nd rate level prairie - Scattering W. & Y. Oak.
		10, 15,	E. & all swamp - W. & dry barrens 2 nd rate - W. & Y. Oak.
		9, 10,	Level dry prairie - 2 nd rate.
		3, 10,	2 nd rate barrens - flag & bullrush swamp - W. & Y. Oak.
		3, 4,	Wet barrens - no timber scarcely.
		32, 33,	Level dry prairie - some groves of Oak.
		28, 33,	Level wet prairie.
		28, 29,	Principally dry prairie - small groves of W. & Y. Oak.
		21, 28,	Level dry prairie
		20, 21,	Level 2 nd rate barrens - W. & Y. Oak &c.
		16, 21,	W. & wet - E. & dry prairie - 2 nd rate.
		16, 17,	Dry barrens - W. & Y. Oak.
		9, 16,	E. & 2 nd rate prairie - W. & wet barrens - scarce of timber.
		8, 9,	Wet & mostly level prairie.
		4, 9,	Level - part wet & part dry prairie.
		4, 5,	Level wet prairie - W. & Y. Oak &c.
		31, 32,	Principally dry prairie - 2 nd rate.
		29, 32,	Mostly wet prairie.
		30, 31,	Level wet prairie.
		29, 30,	Greater part prairie - 2 nd rate - Some groves of W. & Y. Oak.
		20, 29,	Generally dry prairie - 2 nd rate.
		19, 30,	Level wet barrens - W. & Y. Oak.
		19, 20,	Level wet prairie - groves of Oak.
		17, 20,	E. & wet prairie - W. & dry barrens - W. & Y. Oak
		18, 19,	Level open barrens - part dry & part flag & bullrush swamp - W. & Y. Oak.
		17, 18,	Barrens - part wet & part dry.
		8, 17,	Level wet barrens - bullrush & flag swamp - groves of W. & Y. Oak &c.
		7, 18,	Level open barrens - W. & Y. Oak scattering.
		7, 8,	2 nd rate prairie.
		5, 8,	E. & level barrens - W. & Y. Oak - W. & wet prairie.
		6, 7,	E. & 2 nd rate prairie - W. & wet barrens - W. & Y. Oak.
		5, 6,	2 nd rate level barrens.

The figures in this column refer to the Posts numbered in red ink on the Plans.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				
11				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
29				
30				
31				
32				
33				
34				
35				
36				
37				

Exterior Section and Quarter Section Corners Described.

Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Posts.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
A	Br. Oak	24	N 37 E	43	u	Y. Oak	14	N 14 E	550
a	W. Oak	10	S 57 W	266	v	Y. Oak	18	N 25 W	586
B	W. Oak	20	S 7 E	583	w	Y. Oak	12	N 51 W	22
b	W. Oak	18	S 13 E	519	x	Y. Oak	14	S 71 W	20
C	Post in water - no bearings				y	Y. Oak	6	S 4 E	985
c					z	Y. Oak	10	S 1 W	1000
D	W. Oak	20	S 69 E	281	1	Y. Oak	28	S 55 W	222
d	W. Oak	22	N 89 W	54	2	W. Oak	20	N 45 W	285
E	W. Oak	18	S 13 E	89	3	Y. Oak	20	N 60 E	77
e	W. Oak	18	S 67 W	569	4	Y. Oak	28	N 2 W	152
F	W. Oak	24	S 67 W	120	5	Y. Oak	10	N 17 W	141
f	W. Oak	20	S 26 W	146	6	Y. Oak	18	S 22 W	202
G	W. Oak	12	N 56 E	36	7	W. Oak	10	S 13 W	345
g	W. Oak	12	S 84 E	68	8	Y. Oak	12	S 54 W	315
H	W. Oak	4	S 75 W	24	9	Y. Oak	9	N 16 E	311
h	W. Oak	8	N 22 W	36	10	Y. Oak	9	N 25 E	113
i	W. Oak	6	N 13 W	654	11	Y. Oak	9	N 13 W	239
j	W. Oak	8	N 1 E	664	12	W. Oak	7	S 53 W	277
k	W. Oak	4	S 5 W	780					
l	W. Oak	12	S 47 W	28					
m	W. Oak	10	N 76 W	44					
n	W. Oak	18	S 74 W	45					
o	W. Oak	24	N 16 W	69					
p	W. Oak	20	N 75 W	13					
q	W. Oak	18	S 3 W	119					
r	W. Oak	4	S 1 W	303					
s	W. Oak	18	North	805					
t	W. Oak	10	S 14 W	237					
u	W. Oak	22	N 60 W	128					
v	W. Oak	10	S 7 W	219					
w	W. Oak	18	S 14 W	72					
x	W. Oak	10	S 34 W	100					
y	W. Oak	10	N 40 E	47					
z	W. Oak	8	N 32 E	1692					
1	W. Oak	9	N 65 E	186					
2	W. Oak	12	S 31 W	379					
3	W. Oak	9	N 18 W	26					
4	W. Oak	22	N 70 E	90					
5	W. Oak	9	N 81 E	85					
6	W. Oak	12	N 88 E	297					
7	W. Oak	20	N 11 W	410					
8	W. Oak	24	N 74 W	409					
9	W. Oak	12	N 87 W	475					
10	Post in mound								
11	Post in mound								
12	Post in mound								
13	Post in mound								
14	Post in mound								
15	Post in mound								
16	Post in mound								
17	Post in mound								
18	Post in mound								
19	Post in mound								
20	Post in mound								
21	Post in mound								
22	Post in mound								
23	Post in mound								
24	Post in mound								
25	Post in mound								
26	Post in mound								
27	Post in mound								
28	Post in mound								
29	Post in mound								
30	Post in mound								


Interior Section Corners Described.

Corners of Sections.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
25, 26, 35, 36,	W. Oak	18	N 72 E	140
23, 24, 25, 26,	W. Oak	15	S 84 E	144
13, 14, 23, 24,	W. Oak	20	N 76 W	33
11, 12, 13, 14,	W. Oak	30	S 33 E	45
1, 2, 11, 12,	W. Oak	18	N 10 E	571
26, 27, 34, 35,	W. Oak	6	N 26 W	400
22, 23, 26, 27,	W. Oak	6	N 83 E	100
14, 15, 22, 23,	W. Oak	6	N 65 E	117
10, 11, 14, 15,	W. Oak	20	S 60 E	379
2, 3, 10, 11,	W. Oak	24	S 85 E	500
27, 28, 33, 34,	W. Oak	18	S 42 E	287
21, 22, 27, 28,	W. Oak	24	N 59 W	227
15, 16, 21, 22,	W. Oak	20	N 24 E	130
9, 10, 15, 16,	W. Oak	12	N 25 W	129
3, 4, 9, 10,	Post in Bullrush swamp.			
28, 29, 32, 33,	Post in swamp - no bearings			
20, 21, 28, 29,	Post in swamp - no bearings			
16, 17, 20, 21,	Post in swamp - no bearings			
8, 9, 16, 17,	W. Oak	18	N 34 E	48
4, 5, 8, 9,	W. Oak	24	S 84 E	74
29, 30, 31, 32,	Post in Abutment - waist deep			
19, 20, 29, 30,	Post - (nothing further said)			
17, 18, 19, 20,	Post in water - no bearings			
7, 8, 17, 18,	Post in mound			
5, 6, 7, 8,	Post in mound			

Interior Quarter Section Corners Described.

Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.	Qr. Sec. Posts on the Lines.	Bearing Trees.	Inches diam'r.	Courses they bear.	Links distant.
M to U at 1	W. Oak	20	S 7 W	25	P to E at 1	W. Oak	18	S 17 W	340
2	W. Oak	30	N 36 E	105	2	W. Oak	24	N 5 W	398
3	W. Oak	20	S 7 W	220	2	W. Oak	18	S 14 E	225
4	W. Oak	24	N 89 W	356	3	W. Oak	20	S 23 W	248
5	W. Oak	25	S 47 E	600	4	Post in water - no mound.			
6	W. Oak	30	S 59 E	539	5	Post in swamp.			
7	Post in mound.				6	W. Oak	20	N 44 W	25
8	Post in mound.				7	W. Oak	24	S 60 W	18
9	Post in mound.				8	W. Oak	24	S 49 W	101
10	W. Oak	24	S 2 W	750	9	W. Oak	24	S 66 E	142
11	W. Oak	20	S 83 W	760	10	W. Oak	20	N 74 E	533
12	W. Oak	30	N 4 W	69	11	W. Oak	30	N 63 E	498
13	W. Oak	25	S 33 E	44	12	Post in mound.			
14	W. Oak	20	S 57 E	61	13	W. Oak	10	N 2 W	600
15	W. Oak	18	S 73 E	75	14	W. Oak	30	N 15 W	804
16	Post in mound.				15	W. Oak	6	N 72 E	32
17	Post in mound.				16	W. Oak	12	N 14 W	84
18	Post in mound.				17	Post in mound.			
19	W. Oak	24	S 53 W	156	18	Post in water - knee deep			
20	W. Oak	6	N 64 E	61	19	Post in mound.			
21	W. Oak	20	S 32 W	37	20	Post in mound.			
22	W. Oak	20	N 22 E	33	21	Post in mound.			
23	Post in mound.				22	W. Oak	20	N 50 E	272
24	Line met run				23	W. Oak	22	N 74 E	326
25	W. Oak	30	S 62 W	530	24	W. Oak	18	Corner	
26	W. Oak	25	S 72 W	612	25	Post in mound.			
27	W. Oak	36	S 53 W	26	26	W. Oak	25	N 12 W	475
28	W. Oak	12	S 60 E	58	27	W. Oak	20	N 5 E	904
29	W. Oak	18	N 67 E	109	28	Post in mound.			
30	W. Oak	20	N 1 E	108	29	Post in mound.			
31	Post in swamp - no bearings.				30	W. Oak	15	S 83 W	819
32	Post in swamp.				31	W. Oak	20	S 85 W	950
33	W. Oak	15	S 83 W	819	32	Post in mound.			
34	W. Oak	20	S 85 W	950	33	W. Oak	15	S 15 E	106
35	Post in mound.				34	Willow	3	S 14 W	100
36	W. Oak	15	S 15 E	106	35	W. Oak	8	N 64 E	300
37	W. Oak	3	S 14 W	100	36	W. Oak	8	S 59 E	376
38	W. Oak	8	N 64 E	300	37	W. Oak	20	S 82 E	13
39	W. Oak	8	S 59 E	376	38	W. Oak	18	N 50 E	32
40	W. Oak	20	S 82 E	13	39	W. Oak	24	S 83 W	136
41	W. Oak	18	N 50 E	32	40	W. Oak	24	S 87 W	164
42	W. Oak	24	S 83 W	136	41	W. Oak	10	N 24 W	153
43	W. Oak	24	S 87 W	164	42	W. Oak	20	N 23 E	266
44	W. Oak	10	N 24 W	153	43	Post in mound.			
45	W. Oak	20	N 23 E	266	44	W. Oak	15	S 69 E	163
46	Post in mound.				45	W. Oak	18	N 50 E	107
47	W. Oak	15	S 69 E	163	46	W. Oak	18	S 31 W	419
48	W. Oak	18	N 50 E	107	47	W. Oak	22	S 20 W	350
49	W. Oak	18	S 31 W	419	48	W. Oak	10	N 35 W	38
50	W. Oak	22	S 20 W	350	49	W. Oak	25	S 68 W	40
51	W. Oak	10	N 35 W	38	50	W. Oak	18	S 11 E	800
52	W. Oak	25	S 68 W	40	51	W. Oak	20	N 7 W	1260
53	W. Oak	18	S 11 E	800	52	W. Oak	18	N 67 W	38
54	W. Oak	20	N 7 W	1260	53	W. Oak	25	N 80 E	24
55	W. Oak	18	N 67 W	38	54	W. Oak	18	N 35 E	128
56	W. Oak	25	N 80 E	24	55	W. Oak	15	N 12 W	159
57	W. Oak	18	N 35 E	128	56	W. Oak	20	S 67 E	162
58	W. Oak	15	N 12 W	159	57	W. Oak	18	N 77 E	104
59	W. Oak	20	S 67 E	162	58	W. Oak	20	S 78 E	127
60	W. Oak	18	N 77 E	104	59	W. Oak	6	S 85 E	111
61	W. Oak	20	S 78 E	127					
62	W. Oak	6	S 85 E	111					

Township N^o 30N. Range N^o 4W. 2nd Mer.



Surveyed in 1835 by Robert Hanna, Deputy Surveyor.

Scale, 40 chains to an inch.

I certify that the above is a true copy of the Original plat in this Office.

Surveyor General's Office, Lucius Lyon, Detroit Nov. 1. 1849.

Sur. Gen.